Replacement Air Handling Unit

Case Study EDF Energy Sizewell B

Wozair Ref: W8232







Scope of Work

One off replacement AHU, intake filter coalescer & electric frost heater.

Safety Cat 3 system serving security office, with all equipment located within the Turbine Hall.

The AHU was supplied in three sections to allow installation and positioning via goods lift.

AHU Features

- Air Volume: 9.46m3/s ٠
- Stainless Steel 304 internal panel skins •
- Goosewing Grey Plastisol external panel skins •
- Anodised Aluminium framework .

AHU Componensts

- FA / RA Mixing box: Pneumatic dampers with GSS casing & SS304 blades
 - PMV P5 positioner & HYTORK actuator
- Filter Section Veotec F8 to EN779: 2012 •
- CW Cooling coil Split design. 245kW. Cu tubes, CuSn fins, Stainless Steel 304L case •
- HW Heating Coil Split design. 187kW. Cu tubes, CuSn fins, Stainless Steel 304L case

Intake Filter Coalescer Features

- Location: Fresh Air Supply Duct •
- Model: •
- Veotec CP5 Air Volume: 9.46 m3/s
- Frame materials: 316L Stainless Steel •
- Filter Grade: M5 to EN779: 2012 •
- •
- Filter Media: Polypropylene Fire Rated F1 to DIN53438-3 .

23 kW

400V / 3Ph / 50Hz

1 x Auto Reset TSH / 1 x Manual Reset TSHH

400oC Max

1

Filter Header: Incinerable Plastic (Stainless Steel in option)

Electric Frost Heater Features

- Location: Fresh Air Supply Duct
- Heating Duty: •
- No of Stages:
- Power Supply:
- Control: ٠
 - By others Stainless Steel
- Element Material:
- Casing/JB Material: Stainless Steel 304 IP66
- JB IP Rating:
- Element Surface T:
- Protection

NOZd AC SPECIALIST

Original AHU Photos



Cooling Coil Corrosion



Internal damper corrosion



External flooding around cooling coil

Replacement AHU Photos









Wozair Limited

Grosvenor Road Gillingham Business Park Gillingham Kent ME8 OSA United Kingdom

 Phone
 +44 (0)1634 790 336

 Email
 hvac@wozair.com

Wozair (USA) Ltd

3601 North Loop 336 West Conroe Texas 77304 United States of America

Phone +1 936 521 5990 Email houstonhvac@wozair.com

Wozair (Asia) Pte Ltd

2 Venture Drive 8-23 Vision Exchange 608526 Singapore

 Phone
 +65 6890 6506

 Email
 hvac@wozair.com.sg

Wozair Middle East

Office 202 LOB 17 Building JAFZA Next to Gate 4 Dubai P.O. Box 262404 United Arab Emirates

Gillingham Business Park Gillingham Kent ME8 0SA United Kingdom

 Phone
 +971 (0) 4 887 0147

 Email
 dubaihvac@wozair.com



wozair.com